

UNITED STATES PATENT AND TRADEMARK OFFICE





UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/003,500	10/23/2001	Ernest J. Hamilton	4881US (01-0285)	7399
24247 759	09/03/2004		EXAM	INER
TRASK BRITT P.O. BOX 2550		RACHUBA, MAURINA T		
	ITY, UT 84110		ART UNIT	PAPER NUMBER
			3723	

DATE MAILED: 09/03/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
	10/003,500	HAMILTON, ERNEST J.				
Office Action Summary	Examiner	Art Unit				
	M Rachuba	3723				
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPL' THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a repl - If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be time y within the statutory minimum of thirty (30) days will apply and will expire SIX (6) MONTHS from the cause the application to become ABANDONE.	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 09 F	ebruary 2004.					
•	<u> </u>					
3) Since this application is in condition for allowa	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
4)⊠ Claim(s) <u>1-37</u> is/are pending in the application.						
4a) Of the above claim(s) 5,6,13,14,19-22,27-2	4a) Of the above claim(s) <u>5,6,13,14,19-22,27-29 and 34-36</u> is/are withdrawn from consideration.					
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-4,7-12,18,23-26,33 and 37</u> is/are rejected.						
7)⊠ Claim(s) <u>15-17 and 30-32</u> is/are objected to.	7)⊠ Claim(s) <u>15-17 and 30-32</u> is/are objected to.					
8) Claim(s) are subject to restriction and/o	8) Claim(s) are subject to restriction and/or election requirement.					
Application Papers						
9)☐ The specification is objected to by the Examine	er.					
10)⊠ The drawing(s) filed on <u>12 February 2002</u> is/are: a)⊠ accepted or b)⊡ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority document	s have been received. s have been received in Application rity documents have been receive	on No				
application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.						
dec the attached detailed embe action for a flor	or the continue copies have con-	- .				
Attachment(s)	л П 2	(DTO 442)				
 Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948) 	4) Interview Summary Paper No(s)/Mail Da					
3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	5) Notice of Informal P 6) Other:	atent Application (PTO-152)				

Page 2

. Application/Control Number: 10/003,500

Art Unit: 3723

DETAILED ACTION

Election/Restrictions

1. Claims 5, 6, 19-22 and 34-36 are withdrawn from further consideration pursuant to 37 CFR 1.142(b) as being drawn to a nonelected species, there being no allowable generic or linking claim. Election was made **without** traverse in Paper No. 7. Further, claims 13, 14, 27, 28 and 29, drawn to a spacing system which uses a spring, or a plurality of biasing elements, are not directed to the elected species, and are also withdrawn.

Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 3. Claims 1-4, 7-12, 18, 23-26, 33 and 37 are rejected under 35 U.S.C. 102(b) as being clearly anticipated by the Precision Pitch Spacing System, (PPSS) iTi Industrial Tools Incorporated, admitted as prior art by applicant, specification page 5, 0013 and figure 2, and further detailed in the document submitted by applicant in support of the admitted prior art, as set forth in the Office action mailed 06 November 2003.

Allowable Subject Matter

4. Claims 15-17 and 30-32 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims. The prior art of record does

Application/Control Number: 10/003,500

Art Unit: 3723

not disclose or fairly teach a retention feature which comprises a recess to receive at least a portion of the biasing element. PPSS discloses a biasing element that extends from **16** radially almost the length of **18**. There is no need for a retention feature.

Response to Arguments

5. Applicant's arguments filed 09 February 2004 have been fully considered but they are not persuasive. Applicant argues that PPSS does not disclose a shaped flange with includes both a substantially radically extending support member and a substantially axially extending spacer member, but two separate structures. The examiner agrees that the support and spacer members disclosed by PPSS are separate structure. However, there are no limitations that require the flange to be one structure, only that it have the support and spacer members. The device disclosed by PPSS clearly shows a shaped flange *including* both a support and spacer member as claimed. If applicant means to limit the flange to a single structure, it should be claimed.

Conclusion

6. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of

Application/Control Number: 10/003,500

Art Unit: 3723

the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to M Rachuba whose telephone number is 703-308-1361. The examiner can normally be reached on Monday-Thursday from 8:30 AM to 3:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Joseph Hail, can be reached on (703) 308-2687. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

M. Rachuba Primary Patent Examiner

